



Serving Over 100 Countries Worldwide

## HOWDY

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD

Add:No.16 Riyue Road, Riyue Village,Xintangbian Town,  
Jiangshan City, Zhejiang Province, China

Web:www.dyx188.com

Tel:+86 570 4772262

Fax:+86 570 4772261

Email:sales\_alex@howdyfire.com

### Marketing Department

Add:F2-13866 Store,International Trade City,  
Yiwu City, Zhejiang Province,China

Tel:+86 570 85185470

Fax:+86 570 85184288

Email:linmao882008@sina.com



JIANGSHAN DIYI  
FIRE EQUIPMENT  
CO.,LTD





**HOWDY**<sup>®</sup>  
Fire Equipment

## 目录 PREFACE

CONTENTS CULTURE CREATIVE

- 05 DRY POWDER
- 09 CO<sub>2</sub>
- 11 FOAM
- 12 WATER
- 13 AUTOMATIC
- 15 DRY POWDER TROLLEY
- 17 FOAM TROLLEY
- 19 CO<sub>2</sub> TROLLEY
- 20 ACCESSORIES



**HOWDY**<sup>®</sup>  
Fire Equipment



## 严格管理精益化

规范管理科学化 创新管理全员化

YAN GE GUAN LI JING YI HUA    GUI FAN GUAN LI KE  
XUE HUA    CHUANG XIN GUAN LI QUAN YUAN HUA

**HOWDY**<sup>®</sup>  
Fire Equipment

## ABOUT US

Jiangshan DIYI Fire Equipment Co.LTD located within the town of Jiangshan City, Zhejiang. The company was founded Jiangshan DIYI Fire Equipment Factory in 2004, and changed to Jiangshan DIYI Fire Equipment Co., Ltd. in 2013.

More than ten years experience in manufacturing fire protection products make Jiangshan DIYI Fire Equipment Co., Ltd. has become the industry leader in the production and management. The company specializes in the production of various types of fire extinguishers, the products are exported to Southeast Asia, Middle East, Africa, Europe and the United States and other countries. And by the majority of customers praise. The company of "quality of corporate life," the purpose of "integrity and pragmatic, pioneering and innovative" spirit of enterprise, ISO9001-2008 strict implementation of quality management system, in order to better provide our clients with good products and good service .

### Business goals

International concepts, international quality, international services

### Technology and Equipment

The company has invested a lot of money every year for the constantly replenished and updated manufacturing equipment and testing equipment to ensure product quality and production efficiency.



HOWDY®  
Fire Equipment

立优质精神 构世纪蓝图  
LI YOU ZHI JING SHEN GOU SHI JI LAN TU



## DRY POWDER

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 1KG DY8001

Model	Fire Rating	Thickness
MFZL1	5A/34B/C	0.8mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	49.5*19*31cm/10pcs



### 2KG DY8002

Model	Fire Rating	Thickness
MFZL2	13A/55B/C	1.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	46*12*39cm/4pcs



### 3KG DY8003

Model	Fire Rating	Thickness
MFZL3	21A/89B/C	1.2mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	44*27*14cm/2pcs

## DRY POWDER

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 4KG DY8004

Model	Fire Rating	Thickness
MFZL4	21A/113B/C	1.2mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	50*27*14cm/2pcs



### 5KG DY8005

Model	Fire Rating	Thickness
MFZL5	25A/120B/C	1.2mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	49.5*19*31cm/10pcs



### 6KG DY8006

Model	Fire Rating	Thickness
MFZL6	34A/183B/C	1.2mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	46*12*39cm/2pcs

## DRY POWDER

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 8KG DY8008

Model	Fire Rating	Thickness
MFZL8	38A/205B/C	1.2mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	58*33*17cm/2pcs



### 9KG DY8009

Model	Fire Rating	Thickness
MFZL9	43A/233B/C	1.5mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	60*33*17cm/2pcs



### 10KG DY8010

Model	Fire Rating	Thickness
MFZL10	48A/233B/C	1.5mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	58*18*18cm/1pc

## DRY POWDER

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 12KG DY8012

Model	Fire Rating	Thickness
MFZL12	55A/233B/C	1.5mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	62*18*18cm/1pc





## CO2

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 2KG DY6002

Model	Fire Rating	Thickness
MT2	34B	4.0mm
Max working pressure	Test pressure	Carton size
150Bar	225Bar	49*26*12cm/2pcs



### 3KG DY6003

Model	Fire Rating	Thickness
MT3	34B	4.0mm
Max working pressure	Test pressure	Carton size
150Bar	225Bar	53*30*14cm/2pcs



### 5KG DY6005

Model	Fire Rating	Thickness
MT5	55B	4.5mm
Max working pressure	Test pressure	Carton size
150Bar	225Bar	60*21*16cm/1pc

## CO2

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 6KG DY6006

Model	Fire Rating	Thickness
MT6	60B	4.5mm
Max working pressure	Test pressure	Carton size
150Bar	225Bar	65*21*16cm/1pc



### 7KG DY6007

Model	Fire Rating	Thickness
MT7	75B	4.5mm
Max working pressure	Test pressure	Carton size
150Bar	225Bar	72*21*16cm/1pc



### 9KG DY6009

Model	Fire Rating	Thickness
MT9	85B	4.5mm
Max working pressure	Test pressure	Carton size
150Bar	225Bar	94*21*16cm/1pc

## FOAM

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 4L DY2004

Model	Fire Rating	Thickness
MJP24	6A/75B	1.2mm
Max working pressure	Test pressure	Carton size
12Bar	30Bar	50*27*14cm/2pcs



### 6L DY2006

Model	Fire Rating	Thickness
MJP26	8A/113B	1.2mm
Max working pressure	Test pressure	Carton size
12Bar	30Bar	52*33*17cm/2pcs



### 9L DY2009

Model	Fire Rating	Thickness
MJP29	13A/183B	1.5mm
Max working pressure	Test pressure	Carton size
18BAR	27BAR	60*33*17cm/2pcs

## WATER

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 4L DY3004

Model	Fire Rating	Thickness
MSQ24	6A	1.2mm
Max working pressure	Test pressure	Carton size
12Bar	30Bar	50*27*14cm/2pcs



### 6L DY3006

Model	Fire Rating	Thickness
MSQ26	8A	1.2mm
Max working pressure	Test pressure	Carton size
12Bar	30Bar	52*33*17cm/2pcs



### 9L DY3009

Model	Fire Rating	Thickness
MSQ29	13A	1.5mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	60*33*17cm/2pcs



## AUTOMATIC

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 4KG DY5004

Model	Fire Rating	Thickness
MFZA4	21A/113B/C	1.2mm
Max working pressure	Test pressure	Carton size
14Bar	25Bar	31*31*35cm/1pc



### 6KG DY5006

Model	Fire Rating	Thickness
MFZA6	34A/183B/C	1.2mm
Max working pressure	Test pressure	Carton size
14Bar	25Bar	31*31*35cm/1pc



### 9KG DY5009

Model	Fire Rating	Thickness
MFZA9	43A/233B/C	1.5mm
Max working pressure	Test pressure	Carton size
14Bar	25Bar	33*33*35cm/1pc

## AUTOMATIC

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 12KG DY5012

Model	Fire Rating	Thickness
MFZA12	55A/233B/C	1.5mm
Max working pressure	Test pressure	Carton size
14Bar	25Bar	33*33*35cm/1pc

## DRY POWDER TROLLEY

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 25KG DY8025

Model	Fire Rating	Thickness
MFZL25	25A/40B/C	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	



### 35KG DY8035

Model	Fire Rating	Thickness
MFZL35	27A/45B/C	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	



### 50KG DY8050

Model	Fire Rating	Thickness
MFZL50	34A/65B/C	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	

## DRY POWDER TROLLEY

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 75KG DY8075

Model	Fire Rating	Thickness
MFZL75	42A/80B/C	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	



### 100KG DY80100

Model	Fire Rating	Thickness
MFZL100	55A/120B/C	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	



## FOAM TROLLEY JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 25L DY2025

Model	Fire Rating	Thickness
MJPZ25	25A/40B	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	

### 35L DY2035

Model	Fire Rating	Thickness
MJPZ35	27A/45B	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	

### 50L DY2050

Model	Fire Rating	Thickness
MJPZ50	34A/65B	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	

## FOAM TROLLEY JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 75L DY2075

Model	Fire Rating	Thickness
MJPZ75	42A/80B	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	

### 100L DY20100

Model	Fire Rating	Thickness
MJPZ100	55A/120B	2.0mm
Max working pressure	Test pressure	Carton size
18Bar	27Bar	

## CO2 TROLLEY JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



### 10KG DY6010

Model	Fire Rating	Thickness
MT10	65B	4.5mm
Max working pressure	Test pressure	Carton size
150Bar	225Bar	

### 24KG DY6024

Model	Fire Rating	Thickness
MT24	233B	5.0mm
Max working pressure	Test pressure	Carton size
150Bar	225Bar	

### 50KG DY6050

Model	Fire Rating	Thickness
MT50	233B	5.0mm
Max working pressure	Test pressure	Carton size
150Bar	225Bar	

## ACCESSORIES JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



001



002



003



004



005



006



007



008



009



## ACCESSORIES

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



001



002



003



004



005



006



007



008



009

## ACCESSORIES

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



001



002



003



004



005



006



007



008



009

## ACCESSORIES

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



001



002



003



004



005



006



007



008



009

## ACCESSORIES

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



001



002



003



004



005



006



007



008



009



## ACCESSORIES

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



001



002



003



004



005



006



007



008



009

## ACCESSORIES

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



001



002



003



004



005



006



007



008



009

## ACCESSORIES

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



001



002



003



004



005



006



007



008



009

## ACCESSORIES

JIANGSHAN DIYI FIRE EQUIPMENT CO.,LTD



001



002



003



004



005



006



007



008